

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adelphia-----	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
Holmdel-----	30	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
AdB: Adelphia-----	40	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
Holmdel-----	40	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
AdC: Adelphia-----	40	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Very limited Slope	1.00
		Slope	0.01	Slope	0.01	Shrink-swell	0.50
Holmdel-----	40	Somewhat limited Depth to saturated zone Slope	0.07 0.01	Very limited Depth to saturated zone Slope	1.00 0.01	Very limited Slope	1.00
						Depth to saturated zone	0.07
AeB: Adelphia-----	30	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
Holmdel-----	30	Not limited		Somewhat limited Depth to saturated zone	0.99	Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
AfB: Alloway-----	40	Not limited		Somewhat limited Depth to saturated zone	0.99	Somewhat limited Slope	0.01

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sassafras-----	30	Not limited		Not limited		Not limited	
AfC: Alloway-----	40	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone Slope	0.99 0.01	Very limited Slope	1.00
Sassafras-----	30	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
AnB: Alloway-----	30	Not limited		Somewhat limited Depth to saturated zone	0.99	Not limited	
Sassafras-----	30	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
AnD: Alloway-----	30	Somewhat limited Slope	0.16	Somewhat limited Depth to saturated zone Slope	0.99 0.16	Very limited Slope	1.00
Sassafras-----	30	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
AoA: Annapolis-----	70	Not limited		Not limited		Not limited	
AoB: Annapolis-----	80	Not limited		Not limited		Not limited	
AoC: Annapolis-----	75	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
AsA: Annapolis-----	80	Not limited		Not limited		Not limited	
AsB: Annapolis-----	80	Not limited		Not limited		Not limited	
AsC: Annapolis-----	80	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
AsE: Annapolis-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AsF: Annapolis-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
AsG: Annapolis-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
AuB: Annapolis-----	50	Not limited		Not limited		Not limited	
Urban Land-----	40	Not rated		Not rated		Not rated	
AuD: Annapolis-----	50	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Urban Land-----	35	Not rated		Not rated		Not rated	
CaB: Chillum-----	60	Not limited		Not limited		Somewhat limited Slope	0.01
CaC: Chillum-----	60	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
CbB: Chillum-----	40	Not limited		Not limited		Not limited	
Urban Land-----	40	Not rated		Not rated		Not rated	
CHA: Codorus-----	40	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
Hatboro-----	30	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
CkA: Colemantown-----	80	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CmA: Colemantown-----	70	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50
CnB: Colemantown-----	40	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
CoA: Collington-----	60	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50
Wist-----	25	Not limited		Somewhat limited Depth to saturated zone	0.26	Not limited	
CoB: Collington-----	50	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell Slope	0.50 0.01
Wist-----	30	Not limited		Somewhat limited Depth to saturated zone	0.26	Not limited	
CoC: Collington-----	40	Somewhat limited Shrink-swell Slope	0.50 0.01	Somewhat limited Slope	0.01	Very limited Slope Shrink-swell	1.00 0.50
Wist-----	35	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone Slope	0.26 0.01	Very limited Slope	1.00
CpB: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50
Wist-----	25	Not limited		Somewhat limited Depth to saturated zone	0.26	Not limited	
CpD: Urban Land-----	35	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Collington-----	25	Somewhat limited Shrink-swell Slope	0.50 0.16	Somewhat limited Slope	0.16	Very limited Slope Shrink-swell	1.00 0.50
Wist-----	25	Somewhat limited Slope	0.16	Somewhat limited Depth to saturated zone Slope	0.26 0.16	Very limited Slope	1.00
CRD: Collington-----	40	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope	0.63	Very limited Slope Shrink-swell	1.00 0.50
Annapolis-----	25	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
CSE: Collington-----	40	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
Westphalia-----	25	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Wist-----	25	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.26	Very limited Slope	1.00
CSF: Collington-----	40	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
Westphalia-----	25	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Wist-----	25	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.26	Very limited Slope	1.00
CSG: Collington-----	40	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
Westphalia-----	25	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Wist-----	25	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.26	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CTA: Comus-----	40	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
Codorus-----	35	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
CxA: Cumberstone-----	45	Not limited		Somewhat limited Depth to saturated zone	0.99	Not limited	
Mattapex-----	25	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
CxB: Cumberstone-----	40	Not limited		Somewhat limited Depth to saturated zone	0.99	Not limited	
Mattapex-----	40	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
CxC: Cumberstone-----	40	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone Slope	0.99 0.01	Very limited Slope	1.00
Mattapex-----	35	Somewhat limited Depth to saturated zone Slope	0.07 0.01	Very limited Depth to saturated zone Slope	1.00 0.01	Very limited Slope Depth to saturated zone	1.00 0.07
CyB: Cumberstone-----	30	Not limited		Somewhat limited Depth to saturated zone	0.99	Not limited	
Mattapex-----	30	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
Urban Land-----	25	Not rated		Not rated		Not rated	
CyD: Cumberstone-----	30	Somewhat limited Slope	0.16	Somewhat limited Depth to saturated zone Slope	0.99 0.16	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mattapex-----	25	Somewhat limited Slope	0.16	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.07	Slope	0.16	Depth to saturated zone	0.07
Urban Land-----	20	Not rated		Not rated		Not rated	
DcA: Deale-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	0.02	Shrink-swell	0.02	Shrink-swell	0.02
Shadyoak-----	20	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
DeA: Deale-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	0.02	Shrink-swell	0.02	Shrink-swell	0.02
Urban Land-----	30	Not rated		Not rated		Not rated	
Shadyoak-----	20	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
DfA: Dodon-----	75	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
DfB: Dodon-----	75	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
DfC: Dodon-----	75	Somewhat limited Slope	0.01	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
				Slope	0.01		
DnA: Donlonton-----	65	Somewhat limited Depth to saturated zone	0.77	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.77
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DnB: Donlonton-----	65	Somewhat limited Depth to saturated zone Shrink-swell	0.77 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.77 0.50 0.01
DuB: Donlonton-----	40	Somewhat limited Depth to saturated zone Shrink-swell	0.77 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.77 0.50
Urban Land-----	35	Not rated		Not rated		Not rated	
DvB: Downer-----	40	Not limited		Not limited		Somewhat limited Slope	0.01
Hammonton-----	20	Not limited		Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.01
DvC: Downer-----	50	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
Hammonton-----	20	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Slope	1.00 0.01	Very limited Slope	1.00
DvD: Downer-----	40	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
Hammonton-----	15	Somewhat limited Slope	0.84	Very limited Depth to saturated zone Slope	1.00 0.84	Very limited Slope	1.00
DwB: Downer-----	25	Not limited		Not limited		Not limited	
Urban Land-----	25	Not rated		Not rated		Not rated	
Hammonton-----	20	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
DwD: Downer-----	30	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Urban Land-----	25	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hammonton-----	20	Somewhat limited Slope	0.16	Very limited Depth to saturated zone Slope	1.00 0.16	Very limited Slope	1.00
DxB: Downer-----	40	Not limited		Not limited		Somewhat limited Slope	0.01
Phalanx-----	35	Not limited		Not limited		Somewhat limited Slope	0.01
DxC: Downer-----	40	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
Phalanx-----	35	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
DxD: Downer-----	40	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
Phalanx-----	35	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
EuB: Evesboro-----	25	Not limited		Not limited		Somewhat limited Slope	0.01
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	20	Not limited		Not limited		Somewhat limited Slope	0.01
EuD: Evesboro-----	30	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
EuE: Evesboro-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
EVC: Evesboro-----	45	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Galestown-----	20	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
FaA: Fallsington-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FrA: Fallsington-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
GaB: Galestown-----	75	Not limited		Not limited		Somewhat limited Slope	0.01
HmB: Annapolis-----	40	Not limited		Not limited		Not limited	
Howell-----	40	Somewhat limited Shrink-swell	0.94	Somewhat limited Shrink-swell	0.94	Somewhat limited Shrink-swell	0.94
HmC: Howell-----	45	Somewhat limited Shrink-swell	0.94	Somewhat limited Shrink-swell	0.94	Somewhat limited Shrink-swell Slope	0.94 0.86
Annapolis-----	40	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
HMD: Annapolis-----	40	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
Howell-----	40	Somewhat limited Shrink-swell Slope	0.94 0.84	Somewhat limited Shrink-swell Slope	0.94 0.84	Very limited Slope Shrink-swell	1.00 0.94
HME: Annapolis-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Howell-----	40	Very limited Slope Shrink-swell	1.00 0.94	Very limited Slope Shrink-swell	1.00 0.94	Very limited Slope Shrink-swell	1.00 0.94
HoA: Dodon-----	40	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
Howell-----	40	Somewhat limited Shrink-swell	0.94	Somewhat limited Shrink-swell	0.94	Somewhat limited Shrink-swell	0.94

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HoB: Dodon-----	40	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
Howell-----	40	Somewhat limited Shrink-swell	0.94	Somewhat limited Shrink-swell	0.94	Somewhat limited Shrink-swell	0.94
HoC: Dodon-----	40	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Slope	1.00 0.01	Very limited Slope	1.00
Howell-----	40	Somewhat limited Shrink-swell	0.94	Somewhat limited Shrink-swell	0.94	Somewhat limited Shrink-swell Slope	0.94 0.86
HOD: Dodon-----	40	Somewhat limited Slope	0.84	Very limited Depth to saturated zone Slope	1.00 0.84	Very limited Slope	1.00
Howell-----	40	Somewhat limited Shrink-swell Slope	0.94 0.84	Somewhat limited Shrink-swell Slope	0.94 0.84	Very limited Slope Shrink-swell	1.00 0.94
HOE: Dodon-----	40	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 1.00	Very limited Slope	1.00
Howell-----	40	Very limited Slope Shrink-swell	1.00 0.94	Very limited Slope Shrink-swell	1.00 0.94	Very limited Slope Shrink-swell	1.00 0.94
HOF: Dodon-----	40	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 1.00	Very limited Slope	1.00
Howell-----	40	Very limited Slope Shrink-swell	1.00 0.94	Very limited Slope Shrink-swell	1.00 0.94	Very limited Slope Shrink-swell	1.00 0.94
MaB: Dodon-----	40	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
Marr-----	40	Not limited		Not limited		Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MaC: Dodon-----	35	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Slope	1.00 0.01	Very limited Slope	1.00
Marr-----	35	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
MaD: Dodon-----	35	Somewhat limited Slope	0.84	Very limited Depth to saturated zone Slope	1.00 0.84	Very limited Slope	1.00
Marr-----	35	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
MDE: Dodon-----	35	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 1.00	Very limited Slope	1.00
Marr-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
MDF: Marr-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Dodon-----	30	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 1.00	Very limited Slope	1.00
MgB: Dodon-----	30	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
Marr-----	30	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
MgD: Dodon-----	30	Somewhat limited Slope	0.16	Very limited Depth to saturated zone Slope	1.00 0.16	Very limited Slope	1.00
Marr-----	30	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MmA: Matapeake-----	60	Not limited		Not limited		Not limited	
MmC: Matapeake-----	50	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
MpB: Matapeake-----	30	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
MpD: Matapeake-----	30	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
MRD: Matapeake-----	40	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
Mattapex-----	30	Somewhat limited Slope	0.84	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.07	Slope	0.84	Depth to saturated zone	0.07
MtA: Mattapex-----	60	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MtB: Mattapex-----	60	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MtC: Mattapex-----	60	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Slope	0.01	Slope	0.01	Depth to saturated zone	0.07
MxB: Mattapex-----	35	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
Butlertown-----	30	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MxC: Mattapex-----	45	Somewhat limited Depth to saturated zone Slope	0.07 0.01	Very limited Depth to saturated zone Slope	1.00 0.01	Very limited Slope Depth to saturated zone	1.00 0.07
Butlertown-----	25	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone Slope	0.95 0.01	Very limited Slope	1.00
MyB: Mattapex-----	30	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
Urban Land-----	25	Not rated		Not rated		Not rated	
Butlertown-----	20	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
MZA: Mispillion-----	40	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
Transquaking-----	40	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
NMA: Mannington-----	40	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Nanticoke-----	40	Very limited Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00
PeB: Patapsco-----	30	Not limited		Somewhat limited Depth to saturated zone	0.28	Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Evesboro-----	20	Not limited		Not limited		Not limited	
Fort Mott-----	20	Not limited		Not limited		Somewhat limited Slope	0.01
PfB: Fort Mott-----	30	Not limited		Not limited		Not limited	
Patapsco-----	30	Not limited		Somewhat limited Depth to saturated zone	0.28	Not limited	
PfC: Fort Mott-----	30	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
Patapsco-----	30	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone Slope	0.28 0.01	Very limited Slope	1.00
PfD: Fort Mott-----	30	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Patapsco-----	30	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to saturated zone	0.63 0.28	Very limited Slope	1.00
PgB: Fort Mott-----	25	Not limited		Not limited		Not limited	
Patapsco-----	25	Not limited		Somewhat limited Depth to saturated zone	0.28	Not limited	
Urban Land-----	25	Not rated		Not rated		Not rated	
PgD: Fort Mott-----	25	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Patapsco-----	25	Somewhat limited Slope	0.16	Somewhat limited Depth to saturated zone Slope	0.28 0.16	Very limited Slope	1.00
Urban Land-----	25	Not rated		Not rated		Not rated	
PpA: Pepperbox-----	60	Not limited		Not limited		Not limited	
PrB: Pepperbox-----	30	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PT: Gravel And Borrow Pits-----	100	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone Slope	0.95 0.01	Very limited Slope	1.00
RfA: Russett-----	65	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
RfB: Russett-----	65	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
RhB: Russett-----	30	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
Alloway-----	25	Not limited		Somewhat limited Depth to saturated zone	0.99	Not limited	
Hambrook-----	20	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
RhC: Russett-----	30	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Slope	1.00 0.01	Very limited Slope	1.00
Alloway-----	25	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone Slope	0.99 0.01	Very limited Slope	1.00
Hambrook-----	20	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone Slope	0.15 0.01	Very limited Slope	1.00
RhD: Russett-----	30	Somewhat limited Slope	0.84	Very limited Depth to saturated zone Slope	1.00 0.84	Very limited Slope	1.00
Alloway-----	25	Somewhat limited Slope	0.63	Somewhat limited Depth to saturated zone Slope	0.99 0.63	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hambrook-----	20	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to saturated zone	0.63 0.15	Very limited Slope	1.00
RkB: Russett-----	30	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
Alloway-----	25	Not limited		Somewhat limited Depth to saturated zone	0.99	Not limited	
Urban Land-----	25	Not rated		Not rated		Not rated	
RyB: Russett-----	35	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
Urban Land-----	35	Not rated		Not rated		Not rated	
SaB: Sassafras-----	60	Not limited		Not limited		Somewhat limited Slope	0.01
SaD: Sassafras-----	60	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SfB: Sassafras-----	55	Not limited		Not limited		Somewhat limited Slope	0.01
ShA: Hambrook-----	40	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
Sassafras-----	40	Not limited		Not limited		Not limited	
SME: Sassafras-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Croom-----	25	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
SMF: Sassafras-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Croom-----	25	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
SnB: Sassafras-----	35	Not limited		Not limited		Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	35	Not rated		Not rated		Not rated	
SnD: Sassafras-----	35	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
SoA: Elkton-----	40	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Shadyoak-----	40	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
SpA: Shadyoak-----	45	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Elkton-----	40	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
SrA: Elkton-----	30	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Shadyoak-----	30	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
SsA: Shrewsbury-----	60	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
TsB: Tinton-----	65	Not limited		Not limited		Not limited	
TsC: Tinton-----	65	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TuB: Tinton-----	40	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
TuC: Tinton-----	40	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
UfG: Udorthents-----	100	Not rated		Not rated		Not rated	
UoB: Udorthents-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell	0.50
UoD: Udorthents-----	100	Somewhat limited Shrink-swell Slope	0.50 0.01	Somewhat limited Shrink-swell Depth to saturated zone Slope	0.50 0.16 0.01	Very limited Slope Shrink-swell	1.00 0.50
UoE: Udorthents-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
UpB: Udorthents-----	65	Not rated		Not rated		Not rated	
UpC: Udorthents-----	65	Not rated		Not rated		Not rated	
UxB: Udorthents-----	60	Not rated		Not rated		Not rated	
UxD: Udorthents-----	60	Not rated		Not rated		Not rated	
UxE: Udorthents-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Uz: Urban Land-----	100	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	100	Not rated		Not rated		Not rated	
WBA: Widewater-----	40	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Issue-----	30	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.39
WdA: Woodstown-----	60	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WdB: Woodstown-----	100	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WrB: Urban Land-----	40	Not rated		Not rated		Not rated	
Woodstown-----	40	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
ZBA: Zekiah-----	40	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Issue-----	30	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.39

